ELSEVIER

Forest Ecology and Management 96 (1997) 289–290

Forest Ecology and Management

Contents of *Forest Ecology and Management*, Volume 96

VOL. 96, NOS. 1–2 **15 AUGUST 1997**

Growth responses of young Douglas-fir and tanoak 11 years after various levels of hardwood removal and understory suppression in southwestern Oregon, USA
T.B. Harrington (Athens, GA, USA) and J.C. Tappeiner II (Corvallis, OR, USA) 1

Gradient analysis in a riparian landscape: contrasts among forest layers
C.L. Sagers and J. Lyon (Fayetteville, AR, USA) 13

Short-term changes in bird communities in response to silvicultural prescriptions
M.D. Baker and M.J. Lacki (Lexington, KY, USA) 27

Aboveground biomass distribution of US eastern hardwood forests and the use of large trees as an indicator of forest development
S. Brown, P. Schroeder (Corvallis, OR, USA) and R. Birdsey (Radnor, PA, USA) 37

Experimental determination of soil characteristics optimal for the growth of ten hardwoods planted on abandoned farmland
A. Cogliastro, D. Gagnon and A. Bouchard (Montréal, Qué., Canada) 49

Factors influencing amphibian and small mammal assemblages in central Appalachian forests
J.C. Mitchell, S.C. Rinehart, J.F. Pagels, K.A. Buhlmann and C.A. Pague (Richmond, VA, USA) 65

Crown profile models based on branch attributes in coastal Douglas-fir
R.L. Roeh and D.A. Maguire (Seattle, WA, USA) 77

Influence of mechanical site preparation on decomposition and nutrient dynamics of Norway spruce (*Picea abies* (L.) Karst.) needle litter and slash needles
A. Lundmark-Thelin and M.-B. Johansson (Uppsala, Sweden) 101

A comparison of understorey vegetation between untouched and managed deciduous forest in Denmark
B.J. Graae and V.S. Heskjær (Copenhagen, Denmark) 111

The structure of forest stands in virgin and managed peatlands: a comparison between Finnish and Russian Karelia
J. Uuttera, M. Maltamo and J.-P. Hotanen (Joensuu, Finland) 125

Temporal and inter-tree variations of attack by *Hypsipyla robusta* moore (Lepidoptera: Pyralidae) in Australian Red Cedar (*Toona australis* (F. Muell.) Harmes)
J. Mo, M.T. Tanton and F.L. Bygrave (Canberra, A.C.T., Australia) 139

Within-tree distribution of attack by *Hypsipyla robusta* Moore (Lepidoptera: Pyralidae) in Australian Red Cedar (*Toona australis* (F. Muell.) Harmes)
J. Mo, M.T. Tanton and F.L. Bygrave (Canberra, A.C.T., Australia) 147

Truffle production in old-growth and mature fir stands in northeastern California
J.R. Waters, K.S. McKelvey (Arcata, CA, USA), D.L. Luoma (Corvallis, OR, USA) and C.J. Zabel (Arcata, CA, USA) 155

Long-term effects of dormant-season prescribed fire on plant community diversity, structure and productivity in a longleaf pine wiregrass ecosystem
D.G. Brockway (Albuquerque, NM, USA) and C.E. Lewis (Marianna, FL, USA) 167

Book reviews

Modeling biological systems
G.I. Ågren (Uppsala, Sweden) 185

Designing conservation projects
J.A. Sayer (Jakarta, Indonesia) 186

VOL. 96, NO. 3 **SEPTEMBER 1997**

Changes and effects of a natural fire on ectomycorrhizal inoculum potential of soil in a *Pinus halepensis* forest
P. Torres and M. Honrubia (Murcia, Spain) 189

Dimensional relationships of open-grown trees in Austria
H. Hasenauer (Vienna, Austria) 197
On the prediction bias and variance in long-term growth projections
A.S. Kangas (Kannus, Finland) 207
Modeling canopy structure and heterogeneity across scales: From crowns to canopy
B. Song, J. Chen, P.V. Desanker, D.D. Reed (Houghton, MI, USA), G.A. Bradshaw (Corvallis, OR, USA) and J.F. Franklin (Seattle, WA, USA) 217
Silvicultural treatments for sapling mesquite (*Prosopis glandulosa* var. *glandulosa*) to optimize timber production and minimize seedling encroachment
N.L. Patch and P. Felker (Kingsville, TX, USA) 231
Mangroves of China: a brief review
M.S. Li and S.Y. Lee (Hong Kong, Hong Kong) 241
Model for multi-stand management based on structural attributes of individual stands
G.W. Miller (Parsons, WV, USA) and J. Sullivan (Blacksburg, VA, USA) 261
Composition, structure, and management potential of secondary dry tropical vegetation in two abandoned henequen plantations of Yucatan, Mexico
A. Mizrahi (Merida, Mexico), J.M. Ramos Prado (Puebla, Mexico) and J. Jiménez-Osornio (Merida, Mexico) 273

Short communication
Comparison of Schnute's and Bertalanffy-Richards' growth functions
L. Yuancai, C. Pacheco Marques and F.W. Macedo (Vila Real, Portugal) 283

Contents of *Forest Ecology and Management*, Volume 96 289